

4G ROUTER
ADOC R40




SPECIFICATIONS


GENERAL	4G Cat 4 Router (DL 150Mbps / UL 50Mbps) Compatible with FDD / TDD-LTE, UMTS, EDGE/GPRS/GSM Chipset RF ZX234220 and Wi-Fi RTL 8192ES Support VoLTE
FREQUENCY	LTE: 1/2/3/5/7/8/28(20)/38/40 UMTS: 900/2100MHz GSM: 900/1800MHz
CONNECTIVITY	Wi-Fi 2.4Ghz, 802.11 b/g/n (MIMO 2x2)
TRANSMISSION OF DATA	FDD-LTE (CAT 4): Max 150Mbps (DL)/50Mbps (UL) TDD-LTE (CAT 4): Max 130Mbps (DL)/35Mbps (UL) HSPA: Max 21.6Mbps (DL)/5.76Mbps (UL) WCDMA: Max 384kbps (DL)/384kbps (UL) EDGE: Max 236.8kbps (DL)/236.8kbps (UL) GPRS: Max 85.6kbps (DL)/85.6kbps (UL)
LEDS	Power indication LED WAN signal strength WiFi/WPS indication LED WAN/LAN status LEDs Internet status LED,
CONNECTORS	1 Ethernet RJ45 WLAN/LAN port 1 RJ11 port for voice 1 USB 2.0 port 1 charging jack port (12v) 1 slot for SIM 2FF (push)
MEMORY	RAM memory 64MB ROM Memory 128MB
SOFTWARE	Updatable via TR069 and FOTA Support USSD codes IPv4, IPv6, IPv4v6

SECURITY	WPA-PSK WPA2-PSK WPA-PSK/WPA2-PSK
----------	---

CONTENTS	1. Main unit 2. Charger 3. Guarantee letter 4. User manual
----------	---




1



2



3



4