

# VOICE BOX ADOC V1



## MAIN FEATURES

---



2G networks

---



2 RJ11 connectors (FXS)

---



Supports SMS messaging

---



Compatible with the Telecare service

---



2,100mAh battery

---



5 status indication LEDs

---

## SPECIFICATIONS

GENERAL	<p><b>Frequencies:</b> GSM 900/1800MHz</p> <p><b>System:</b> SIM-IN (SIM card inside the terminal) SIM card</p> <p><b>Antenna:</b> integrated in the terminal</p>
DIMENSIONS AND WEIGHT	<p><b>Dimensions:</b> 146 * 116 * 31 mm</p> <p><b>Weight:</b> 200 g</p>
PROCESSOR	<p><b>Chipset:</b> M0516LDN</p> <p><b>Processor:</b> ARM Cortex-M0, 50 MHz</p> <p><b>Modem:</b> Quectel M26 for GSM</p>
CONNECTORS	<p>2 RJ11 for FXS</p> <p>Micro USB for SW update</p> <p>DC/AC charging jack</p>
BATTERY	<p>Type: Li-ion</p> <p>Capacity: 2,100mAh</p> <p>Talk time: 3 hours</p> <p>Standby time: more than 24 hours</p> <p>Charging time: 2-3 hours</p>
SERVICES SUPPORTED	<p>FR, EFR, HR, AMR audio codecs</p> <p>Teleassistance through DTMF commands (in band and out of band)</p> <p>Caller ID</p> <p>Call services: call forwarding, call waiting, transfer and conference.</p> <p>Voicemail Compatible</p>
CERTIFICATIONS	GCF / CE / RoHS
CONTENT OF SALES PACKAGE	<ol style="list-style-type: none"> <li>1. Main unit</li> <li>2. Charger</li> <li>3. Battery</li> <li>4. User manual</li> <li>5. Warranty card</li> <li>6. Security allen key and screw</li> </ol>



1



2



3



4



5



6