

VOICE BOX
ADOC V3



MAIN FEATURES



2G and 3G networks



2 RJ11 connectors (FXS)



Compatible with the Telecare service



4,000mAh battery



5 status indication LEDs



SIM system – IN (SIM card inside the device)

SPECIFICATIONS

GENERAL	<p>Frequencies: GSM 900/1800 MHz and UMTS (9000/2100MHz)</p> <p>System: SIM-IN (SIM card inside the terminal)</p> <p>SIM card</p> <p>Antenna: external antenna</p>
DIMENSIONS AND WEIGHT	<p>Dimensions: 146 * 116 * 31 mm</p> <p>Weight: 200 g</p>
PROCESSOR	<p>Chipset: Spreadtum SC7701</p>
CONNECTORS	<p>2 RJ11 for FXS</p> <p>Micro USB for SW update</p> <p>DC/AC charging jack</p>
BATTERY	<p>Type: Li-ion</p> <p>Capacity: 4,000mAh</p> <p>Talk time: 5 hours</p> <p>Standby time: more than 24 hours</p> <p>Charging time: 3-4 hours</p>
SERVICES SUPPORTED	<p>FR, EFR, HR, AMR audio codecs</p> <p>Teleassistance through DTMF commands (in band and out of band)</p> <p>Caller ID (on compatible terminals)</p> <p>Call services: call forwarding, call waiting, transfer and conference.</p> <p>Voicemail Compatible</p> <p>Status Indicator Speech</p>
CERTIFICATIONS	<p>GCF / CE / RoHS</p>
CONTENT OF SALES PACKAGE	<ol style="list-style-type: none"> 1. Main unit 2. External antenna 3. Charger 4. Battery 5. User manual 6. Warranty card 7. Security allen key and screw

